

UNDER 37 CFR 1.116
EXPEDITED PROCEDURE

Dkt. #865-B-PCT-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Wai-Kuen LUI and William Wai-Shing LUI

U.S. Serial No. : 10/593,701

Confirmation No. : 3093

Filed : September 19, 2006

Examiner : Hao D. Mai

Art Unit : 3732

For : FLEXIBLE DENTAL FLOSS APPLICATOR AND
INTERDENTAL GUM STIMULATOR

Law Offices of Albert Wai-Kit Chan, PLLC
World Plaza, Suite 604
141-07 20th Avenue
Whitestone, New York 11357

June 2, 2009

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir/Madam:

**PROPOSED AMENDMENT IN RESPONSE TO
APRIL 7, 2009 FINAL OFFICE ACTION**

This Amendment is submitted in response to the final Office Action mailed April 7, 2009. A shortened statutory period for reply is set to expire 3 months from the mailing date of the final Office Action, i.e., on July 7, 2009. Accordingly, this Amendment is being timely filed.

Remarks begin on page 2 of this paper.

Conclusion begins on page 5 of this paper.